



**BE INDIAN  
BUY INDIAN**

## WHY CHOOSE US!

Extensive experience in catering safety products needs for the past 25 years regarding Construction sites, Mining sites, Automobile Industries, Oil & Gas Industries.

We take away the pain of managing and administering your safety responsibilities with a knowledgeable and highly experienced executive team.

Indulge in latest technology and advancement that Endeavour innovations on timely basis. To this end, we adopt a progressive approach to technology and marketing techniques.

We offers nationwide service by wide dealer network- giving you consistent service wherever you are.

All of our products is tailored for industry relevant scenarios and is of the highest standard.

Safety products that's proactive in the prevention of accidents.

Comprehensive safety solutions under one roof.

No hard sell – we consult and provide choice.

Customer satisfaction is our top priority.



# SAFehawk®

SINCE 1996

(An ISO 9001:2015 Certified Company)

## YOUR SAFETY, OUR PLATFORM!



@thesafehawk



safehawksafetyshoes



www.thesafehawk.com



https://www.indiamart.com/meddosafehawk/



True Partners



Respect of the client needs and objects



Dedicated Teams




Global Know-how



Focus on Innovation



Creative & Innovative Solutions





**IT'S NOT JUST A SHOE,  
IT'S FOOT ENGINEERING.**



**MAHAVIR MANGLA**  
(DIRECTOR)



**KESHAV MANGLA**  
(DIRECTOR)



**RAGHAV MANGLA**  
(DIRECTOR)

## About **Safehawk**<sup>®</sup>

We Started in the year 1996, we "**Meddo Safehawk Private Limited**" has successfully emerged as a major manufacturer and trader of high-quality Road Safety Products. Offered products range consists of Safety shoe, Aluminium Sliding Track, Traffic Cone, Safety Harness Belt and much more. Also, our range has acknowledged due to the features like fine finishing, long service life, easy usability, and low prices. Being a professional firm, we have quality focused behavior that helps us in achieving a top position in the market. We are supported by an ultra-modern infrastructure. Further, quality is one of the main elements which provide a notable identity to the road safety products and makes them different from the others available in the market. Under the guidance of our quality management team, the whole road safety products gamut is gone through a series of various tests.

Under the direction of our mentor **Mr. Mahavir Mangla**, our organization is moving ahead in this cutting-edge competition. His principled business policy, knowledge, and vast experience enable us to comprehend and cater to the desires of our patrons in the best possible way.

### **OUR TEAM**

We have dedicated team of capable and talented professionals who are specialized in the respective domain and supports our company tremendously to develop quality focused products timely. All the team members are highly experienced in their respective domain and utilizes their skills in manufacturing user friendly products.





SAFEHAWK Manufacturing set-up is spread over a span of around 30000 square feet area, and is one of the few in the nation with complete vertical integration, giving us strong controls over quality at each step of manufacturing. All our systems & processes are registered to ISO 9001-2015.

Along with an extensive Distribution network throughout the country, SAFEHAWK has its corporate office in the city of NEW DELHI, manned by trained and technical sales personnel to provide the finest support and service required

Our Brand , THE SAFEHAWK brings forward the commitment made in the last edition, with newer additions of products in its ever expanding range, emerging today as a finest solution in the field of industrial safety.

The journey at SAFEHAWK is never ending. There is a long way to go, many more dream to accomplish and we believe in joining hands with our valued customers for a safer world.




Please visit our website...

[WWW.THE SAFEHAWK.COM](http://WWW.THE SAFEHAWK.COM)


Let us know we can help you better!



## OUR ACCREDITATION



# SAFehawk®



**MARKETING NETWORK**



# OUR STRENGTHS

---

## PROFESSIONAL GEAR

Manufactured to meet the toughest safety norms, SAFEHAWK is robust & reliable. We help our customer build enduring cultures of safety across a wide range of industries

## IN HOUSE TESTING LAB

SAFEHWAK has an in-house testing lab with more than 70 testing machines and equipment. We know safety can't be compromised and hence we are striving for ZERO defects.

## GLOBAL PRESENCE

Our chain of distributors and Channel Partners across the globe enables us a strong network in india & elsewhere

## QUALITY ASSURANCE


Our safety footwear has approvals from reputed laboratories from world.

## TRUSTED BRAND

SAFEHAWK is the most widely used and trusted name in industrial safety footwear. We are considered as the BEST SAFETY shoes and work boots brand in the market.

## GENUINE LEATHER

We use the finest and genuine leather for our leather safety shoes range




## FOOT PROTECTION

# SAFehawk®

## IT'S NOT JUST A SHOE IT'S FOOT ENGINEERING.



**ABRASION  
RESISTANT**



**COMPRESSION  
RESISTANT**



**ELECTRICAL  
RESISTANT**



**SOLE FLEXING  
TEST**

### SAFEHAWK SAFETY FOOTWEAR SUBJECTED TO A SERIES OF QUALITY TESTS IN THE WELL EQUIPPED SAFEHAWK FOOTWEAR-TESTING LABORATORY....

- **ABRASION RESISTANCE TEST** - This test is carried out to assess the capability of the out-sole to resist against abrasion.
- **PENETRATION RESISTANCE TEST FOR MID-SOLE** - The Shoe is provided with a steel mid sole to protect the foot from any sharp penetrating shoe sole. According to India and European Standard, Nail should not penetrate at 1100N.
- **PERMEABILITY TEST** - Property of material to permit odour to pass through it is checked in this test.
- **LINING ABRASION TEST** - This test is performed to measure the abrasion of lining materials, upper fabrics, sock lining and synthetic coated fabrics.
- **ELECTRICAL RESISTANCE TEST** - This test is performed to determine the electrical resistance of shoe.



#### TOE IMPACT TEST

The shoe is provided with a toe cap to protect the foot from falling objects. This test is carried out to ensure that there is enough safety clearance ( as per a specified value in the norms ) below the Toe cap after an impact of 200 joules.



#### SOLE FLEXING TEST

SAFEHAWK also performs a series of sole flex testing, subjecting the sole to a constant cycle of 30,000 flexes. This test ensures that the sole of the shoe does not break while being subjected to normal foot flexing and movement.



#### COMPRESSION RESISTANCE TEST

The Toe cap also protects the foot from compression loads. According to Indian and European standards, the clearance below Toe cap after applying 15kN compression load should not be less than specified value.



### CONSTRUCTION INDUSTRY

Construction, stone masons, carpenters, foundation layers are just some of the many craftsmen we're proud to have in our shoes.



### POWER INDUSTRY

Our safety shoes and boots are powerful enough for the power industry, Browse through all our quality checks for your industry.



### AUTOMOBILE INDUSTRY

Balance, stability & grip, a 4X4 for your feet. Our Shoes are intended to keep you safe, sharp and carefree all day.



### METAL INDUSTRY

Our shoes minimise weight, maximise protection. Our safety shoes has minimum weight and maximum protection to keep you safe & carefree all day



### OIL INDUSTRY

Our shoes wide range of safety shoes and boots for petroleum, oil & gas work environment.



### LOGISTICS INDUSTRY

With our safety shoes, we will keep your toes non-shippery all day every day.



### CHEMICAL INDUSTRY

It is designed and tested specially against harmful dusts, liquid & high temperature.



### CEMENT INDUSTRY

Working at a cement plant, you need to be made of strong stuff. We offers a wide range of safety shoes for your industrial workers

# PVC RANGE SAFETY SHOES

## WHY PVC SAFETY SHOES


Premium quality PVC SAFETY SHOES are offered by us, which are useful in various areas. our products are widely demanded and praised among the clients for their high quality and our reliable, steadfast and prompt delivery system. We are engaged in the manufacturing and supplying of PVC safety shoes, which are widely used in many industries and coalmines.



### CROSS-SECTION VIEW



## RESISTANCE PERFORMANCE METER KEY



**A** Abrasion resistance  
The degree to which the shoes is unaffected by cuts, scratches, slice, ect.

**O/A** Oil & Acid Resistance  
The extent to which the shoes withstands damaging exposure to oil & corrosive substances.

**H<sub>2</sub>O** Water Resistance  
The ability to withstand saturation and water-related damage over time.

**S** Slip Resistance  
The amount of extra traction that guards against slippage and related injuries.

**H** Heat Resistance  
The measure of rested heat damage and simulations provided protection.

### Standard & Categories:

- A** Anti-Static Footwear
- E** Energy absorption in the heel region
- ORO** Oil resistance of outer sole
- P** Penetration Resistance
- HRO** Heat Resistance of outer sole

ENISO 20345-1  
Footwear with toe protection against 200 j impact

- SB ORO
- SI A+ ORO+E
- SIP A+ORO+E+P
- S2 A+ORO+E+WRU
- S3 A+ORO+E+WRU+P
- S4 A+ORO+E+Leakproofness
- S5 A+ORO+E+P+Leakproofness



**S**afehawk®

**PVC Economical**  
Series Safety Shoes



**RAW**



**EPIC**



**F1**

किफायती भी

दमदार भी

 @thesafehawk

 safehawksafetyshoes

 www.thesafehawk.com





**SMART CHOICE FOR  
SMART WORKERS.**

# PVC Workforce

Series Safety Shoes

**ECO  
BLACK**



**ECO  
WHITE**



**NEXUS**



**AURA**



@thesafehawk



safehawksafetyshoes



www.thesafehawk.com



**Impact  
Resistant**



**Skid  
Resistant**



**Oil, Acid &  
Alkali  
Resistant**



**Light  
Weight**



## Nexus

## ECO



<b>Design Type</b>	Derby, Low Ankle.
<b>Sizes Available</b>	5 to 11 / 39 to 45
<b>Weight per pair</b>	900 grams. The weight mentioned above is for reference only & may vary (+ - 50 ) Grams per pair.
<b>Upper Components</b>	<ul style="list-style-type: none"> <li>▶ Synthetic leather 1.8 mm thick</li> <li>▶ Collar-Lining padded with high density EPE foam.</li> <li>▶ Lining - Cushioned Breathable Mesh</li> <li>▶ Tongue - EPE foam with mesh fabric</li> <li>▶ Eyelets - Coated round eyelets.</li> </ul>
<b>Insocks</b>	Knitted mesh laminated with soft EVA.
<b>Closure</b>	Round cotton laces
<b>Toe Cap</b>	Non EN Standard, Extra wide for comfort
<b>Last Technology</b>	String lasting
<b>Sole material</b>	Single Density Injected PVC
<b>Packing</b>	1 Pair/color box, 24 pairs/Carton



## Aura

<b>Design Type</b>	Derby, Low Ankle.
<b>Sizes Available</b>	5 to 11 / 39 to 45
<b>Weight per pair</b>	850 grams. The weight mentioned above is for reference only & may vary (+ - 50 ) Grams per pair.
<b>Upper Components</b>	<ul style="list-style-type: none"> <li>▶ Synthetic leather 1.5 mm thick</li> <li>▶ Collar - Lining padded with high density EPE foam.</li> <li>▶ Lining - Breathable Mesh</li> <li>▶ Tongue - EPE foam with mesh fabric</li> <li>▶ Eyelets - Aluminium round eyelets.</li> </ul>
<b>Insocks</b>	Knitted fabric laminated with soft EVA.
<b>Closure</b>	Round laces
<b>Toe Cap</b>	Non EN Standard
<b>Last Technology</b>	String lasting
<b>Sole material</b>	Single Density Injected PVC
<b>Packing</b>	1 Pair/color box, 24 pairs/Carton



<b>Design Type</b>	High Ankle.
<b>Sizes Available</b>	5 to 11 / 39 to 45
<b>Weight per pair</b>	980 grams. The weight mentioned above is for reference only & may vary (+ - 50 ) Grams per pair.
<b>Upper Components</b>	<ul style="list-style-type: none"> <li>▶ Synthetic leather 1.5 -1.6 mm thick</li> <li>▶ Collar- Cedro Lining padded with high density EPE foam.</li> <li>▶ Lining - Cushioned Breathable Mesh</li> <li>▶ Tongue - EPE foam with mesh fabric</li> <li>▶ Eyelets - Powder Coated D-Type eyelets..</li> </ul>
<b>Insocks</b>	Knitted mesh laminated with soft EVA.
<b>Closure</b>	Long lasting flat laces
<b>Toe Cap</b>	Non EN Standard, Extra wide for comfort
<b>Last Technology</b>	String lasting
<b>Sole material</b>	Single Density Injected PVC
<b>Packing</b>	1 Pair/color box, 20 pairs/Carton

# Safehawk®

**Bold  
Impression**




**High  
Durability**

**Long-Lasting  
Performance**

## PVC PREMIUM

Series Safety Shoes



 @thesafehawk  
 safehawksafetyshoes  
 www.thesafehawk.com



**Fitted with  
Protective  
Toe Cap**



**Anti- Skid**



**Steel  
Mid Plate  
(On Order)**



**Light  
Weight**



# URUS



- Design Type** Derby, Low Ankle.
- Sizes Available** 5 to 11 / 39 to 45
- Weight per pair** 950 grams.  
The weight mentioned above is for reference only & may vary (+ - 50 ) Grams per pair.
- Upper Components**
  - ▶Synthetic leather in sheltac print 1.6-1.8 mm thick
  - ▶Collar-PU lining padded with high density EPE foam.
  - ▶Lining - Cushioned Breathable Mesh
  - ▶Tongue - High density EPE foam sandwiched between PU lining & mesh fabric.
  - ▶Eyelets - Anti-rust round eyelets.
- Insocks** Mesh laminated to Highly abrasion resistant fabric.
- Closure** Round laces with high tensile strength.
- Toe Cap** Non EN Standard, Extra wide for comfort (MID-PLATE ON SPECIAL ORDER )
- Last Technology** Toe lasted
- Sole material** Single Density Injected PVC
- Packing** 1 Pair/color box, 24 pairs/Carton



BLACK

Brown



# Storme

# DEVIL

- Design Type** Derby, Low Ankle
- Sizes Available** 5 to 11 / 39 to 45
- Weight per pair** 980 grams.  
The weight mentioned above is for reference only & may vary (+ - 50 ) Grams per pair.
- Upper Components**
  - ▶Artificial suede leather 1.6 -1.8 mm thick
  - ▶Collar- Mesh lining padded with high density EPE foam.
  - ▶Lining - Cushioned Breathable Mesh
  - ▶Tongue - High density EPE foam sandwiched between mesh fabric.
  - ▶Eyelets - Combination of round and D-Type eyelets..
- Insocks** Polybright laminated to highly abrasion resistant fabric.
- Closure** Flat laces with high tensile strength.
- Toe Cap** Non EN Standard, Extra wide for comfort.
- Last Technology** String lasting
- Sole material** Single Density Injected PVC
- Packing** 1 Pair/color box, 24 pairs/Carton



- Design Type** High Ankle.
- Sizes Available** 5 to 11 / 39 to 45
- Weight per pair** 1150 grams.  
The weight mentioned above is for reference only & may vary (+ - 50 ) Grams per pair.
- Upper Components**
  - ▶Synthetic leather in Sheltac print 1.7-1.8 mm thick
  - ▶Collar-PU lining padded with high density EPE foam.
  - ▶Lining - Cushioned Breathable Mesh
  - ▶Tongue - High density EPE foam sandwiched between PU lining & mesh fabric.
  - ▶Eyelets - Anti-Rust D-Type Eyelets.
- Insocks** Polybright laminated to highly abrasion resistant fabric.
- Closure** Flat laces with high tensile strength
- Toe Cap** Non EN Standard, Extra wide for comfort (MID-PLATE ON SPECIAL ORDER )
- Last Technology** Toe lasted
- Sole material** Single Density Injected PVC
- Packing** 1 Pair/color box, 20pairs/Carton

## PVC Double Density

Range Safety Shoes

Virgin Grade PVC

DUOS

Ergonomically Designed

ROVER

SPORTO



Highly Flexible

Long-Lasting Performance



Anti-penetration steel mid-plate (On demand only)



Fitted with Protective Toe Cap



Anti-Skid



Oil, Acid & alkali Resistant



## Sporto



<b>Design Type</b>	Derby, Low Ankle
<b>Sizes Available</b>	5 to 11 / 39 to 45
<b>Weight per pair</b>	1180 grams. The weight mentioned above is for reference only & may vary (+ - 50 ) Grams per pair.
<b>Upper Components</b>	<ul style="list-style-type: none"> <li>➤Artificial suede leather, 1.6 to 1.8 mm thick</li> <li>➤Collar-Mesh lining padded with high density EPE foam.</li> <li>➤Lining - Cushioned Breathable Mesh</li> <li>➤Tongue - High density EPE foam sandwiched between PU lining &amp; mesh fabric.</li> <li>➤Eyelets - Combination of round &amp; D-Type Eyelets.</li> </ul>
<b>Insocks</b>	Polybright laminated to highly abrasion resistant fabric.
<b>Closure</b>	Flat laces with high tensile strength
<b>Toe Cap</b>	Non EN Standard, extra wide for comfort ( Mid-Plate on Special Order )
<b>Last Technology</b>	Toe lasted
<b>Sole material</b>	Double Density Injected PVC
<b>Packing</b>	1 Pair/color box, 24pairs/Carton
<b>USP</b>	Outer layer of virgin grade compact PVC multiplies shoe performance by improving flexibility & abrasion.

## Rover



<b>Design Type</b>	High Ankle.
<b>Sizes Available</b>	5 to 11 / 39 to 45
<b>Weight per pair</b>	1250 grams. The weight mentioned above is for reference only & may vary (+ - 50 ) Grams per pair.
<b>Upper Components</b>	<ul style="list-style-type: none"> <li>➤Synthetic leather in Sheltac print 1.7-1.8 mm thick</li> <li>➤Collar-PU lining padded with high density EPE foam.</li> <li>➤Lining - Cushioned Breathable Mesh</li> <li>➤Tongue - High density EPE foam sandwiched between PU lining &amp; mesh fabric.</li> <li>➤Eyelets - Anti-Rust D-Type Eyelets.</li> </ul>
<b>Insocks</b>	4 mm soft Polybright laminated to highly abrasion resistant fabric.
<b>Closure</b>	Flat laces with high tensile strength
<b>Toe Cap</b>	Non EN Standard, Extra wide for comfort ( Mid-plate on Special Order )
<b>Last Technology</b>	Toe lasted
<b>Sole material</b>	Double Density Injected PVC
<b>Packing</b>	1 Pair/color box, 20pairs/Carton
<b>USP</b>	Outer layer of virgin grade compact PVC multiplies shoe performance by improving flexibility & abrasion.

## Duos





# Full PVC Safety Shoe

# FULL PVC SAFETY SHOES

Mud & Water Resistant Safety Footwear

## REIGN



### TYPE-1



**Design Type** Low Ankle.  
**Sizes Available** 5 to 11 / 39 to 45  
**Weight per pair** 830 grams. The weight mentioned above is for reference only & may vary (+ - 50 ) Grams per pair.



**Upper** ▶Soft PVC  
 ▶Lining - Soft cotton lining.  
**Seat Region** Closed  
**Toe Cap** Toe-cap is incorporated in such a way that it cannot be removed.



**Flexing Resistance ( 30000 Cycles )** Cut growth is below 4mm  
**Outsole** Hard PVC for better grip.  
**Packing** 1 Pair/color box, 24 pairs /Carton

### TYPE-2



## WHY DO WE NEED FULL PVC MOULDED SAFETY SHOE ?

At various work sites like a construction project where many hundreds of workers work at a time and there is lot of mud , water & chemical, due to which the safety shoe of real leather or synthetic leather gets damaged from the upper and thereby it reduces the life of the footwear.

To address this concern we developed a fully washable PVC safety shoe which is unaffected by such harsh working conditions, Even if the cement falls on it, one may wash it and wear it again.

But we have not compromised with the comfort. Cotton lining, cushioned insocks and flexible upper which reduces fatigue of the worker and increases efficiency.

## INDUSTRIES USING PVC GUMBOOTS


Safehawk safety Gumboots offer not only a high degree of protection, but also provide comfort and design that ensures usage for long working hours. Safehawk gumboots are essential equipment in many industrial applications such as:

- Agricultural Industry
- Mining Industry
- Oil & Gas Exploration
- Forest Industry

**SAFEHAWK GUMBOOTS** are being supplied to our customers world-wide who value the contribution and dedication of their hard-working personnel.



**AGRICULTURAL  
INDUSTRY**



**MINING  
INDUSTRY**



**OIL & GAS  
EXPLORATION**



**FOREST  
INDUSTRY**

**ALL DAY COMFORT**

**MAX PROTECTION**

**SLIP RESISTANCE**

**BUILT TO LAST**

**FEET PROTECTION**

**VARIABLE HEIGHTS**

**Safehawk Gumboots** are being supplied to our customers world-wide who value the contribution and dedication of their hard-working personnel.

**ALL DAY COMFORT** - Equipped with all the features of light-weight, rigid nature, and comfortable in wearing, Safehawk safety gumboots can be worn continuously for long working hours.

**MAXIMUM PROTECTION** - Prepared for all weather conditions, Safehawk safety gumboots provide maximum protection to the industrial, mining or farm worker.

**SLIP RESISTANCE** - Safehawk gumboots have high slip resistance during wet and slippery conditions.

**BUILT TO LAST** - Manufactured from premium grade materials, SAFEHAWK Gumboots are built to withstand the toughest of environments.

**FEET PROTECTION** - With a toe-cap and high quality outsole, SAFEHAWK work boots provide safety to the worker from sharp objects and well as any falling objects.

**VARIABLE HEIGHTS** - Equipped with all the features of light-weight, rigid nature, and comfortable in wearing, SAFEHAWK safety gumboots are available in different heights as per the customer requirements.

Gumboots are essentially worn when walking in wet and muddy conditions to protect the work-boot wearer from mud, heavy rain and other waste material. Wearing waterproof gumboots is essential to the health and safety of all industrial workers. Whether it's a farm worker feeding the cattle in the rain or a mine worker working in the muddy sludge, a good pair of SAFEHAWK gumboots would keep the feet warm, dry and comfortable whole day long.

SAFEHAWK gumboots have been developed to provide the finest in foot protection to workers and personnel working under the most challenging environments.





**Walker**

**Full PVC  
GUM BOOT**



**GREY**

**WALKER 2.0**




**YELLOW**



- Sizes Available 7 to 10 / 41 to 44
- Height 11"
- Weight per pair 1.4 kg  
The weight mentioned above is for reference only & may vary (+ - 50 ) Grams per pair.
- Upper Soft & flexible PVC
- Seat Region Closed
- Toe Cap Toe-cap is incorporated in such a way that it cannot be removed.
- Sole material Hard PVC for better grip.
- Packing 1 Pair/carry bag, 30 pairs/Carton
- UPS Diamond polish finish for fresh & new look.

**HEIGHT 11"**  
**TOE CAP COMPATIBILITY**

**DIP COLOR PROCESS**  
**LINING SYNTHETIC FABRIC**



**S Fehawk®**



**Full PVC  
GUM BOOT**

**TORNADO**



**GREY**

**TORNADO 2.0**



**YELLOW**



- Sizes Available 7 to 10 / 41 to 44
- Height 14"
- Weight per pair 1.4 kg  
The weight mentioned above is for reference only & may vary (+ - 50) Grams per pair.
- Upper Soft & flexible PVC
- Seat Region Closed
- Toe Cap Toe-cap is incorporated in such a way that it cannot be removed.
- Sole material Hard PVC for better grip.
- Packing 1 Pair/carry bag, 30 pairs/Carton
- UPS Diamond polish finish for fresh & new look.

**HEIGHT 14"**  
**TOE CAP COMPATIBILITY**

**DIP COLOR PROCESS**  
**LINING SYNTHETIC FABRIC**

